PERSON CERTS

AMERICA SOME

th Maxan 1953

ABSTRACTS FROM SAST EUROPEAN

SCIENTIFIC AND TECHNICAL JOURNALS

Mo. 106

(Blockronias, Engineering, and Space Recests) Series)

APR 18 1968

U. S. DEPARTMENT OF COMARROR

OFFICE OF TECHNICAL SERVICES

JOINT PUBLICATIONS RESEARCH SERVICE Building T-30 Ohio Dr. and Independence Ave., S.N., Weahlington 25, D. C.

Frice: \$1.50

Best Available Copy

FOREWORD

This publication was prepared under contract for the Joint Publications Research Service as a translation or foreign-language research service to the various federal government departments.

The contents of this material in no way represent the policies, views or attitudes of the U. S. Government or of the parties to any distribution arrangement.

PROCUREMENT OF JPRS REPORTS

Party of the state of the same

化氯磺胺 电流型 医胸丛外侧皮 医乳腺 化二氯甲基甲基甲基

All JPRS reports may be ordered from the Office of Technical Services. Reports published prior to 1 February 1963 can be provided, for the most part, only in photocopy (xerox). Those published after 1 February 1963 will be provided in printed form.

Details on special subscription arrangements for JPRS social science reports will be provided upon request.

No cumulative subject index or catalog of all JPRS reports has been compiled.

All JPRS reports are listed in the Monthly Catalog of U. S. Government Publications, available on subscription at \$4.50 per year (\$6.00 foreign), including an annual index, from the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.

All JPRS scientific and technical reports are cataloged and subject-indexed in Technical Translations, published semimonthly by the Office of Technical Services, and also available on subscription (\$12.00 per year domestic, \$16.00 foreign) from the Superintendent of Documents. Semiannual indexes to Technical Translations are available at additional cost.

18 4 Burgara

ABSTRACTS FROM RAST EUROPEAN

SCIENTIFIC AND TECHNICAL JOURNALS

No. 106

- Electronics, Engineering, and Space Research Series -

This report consists of abstracts of articles from the East European scientific and technical journals listed in the table of contents below.

Table of Contents

HUNGARY	Page
BHG Muszaki Kozlemenyek, Budapest, Vol 8, No 1, 62	1
BHG Mussaki Kozlemenyak, Budapest, Vol 8, No 2, 62	5
BHG Muszaki Kowlemenyek, Budapest, Vol 8, No 3, 62	9
BHG Muszaki Kozlemenyek, Budapest, Vol 8, No 4, 62	13
BHG Muszaki Kozlemenyek, Budapest, Vol 8, No 5, 62	16
Finommechanika, Budapest, Vol 1, No 12, Dec 62	20
Finozmechanika, Budspest, Vol 2, No 1, Jan 63	23
Meres es Automatika, Budapest, Vol 11, No 1, 63	26

Mrs. PASZTORNICZKY, Lajos, of the Department for relephone Technological Development at the Beloiannisz Communication Works (Beloiannisz Hiradastechnikai Gyar Telefontechnikai Fejlesztesi Osztaly) in Budapest.

"The K 40/160 Rural / telephone / Exchange"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 1, 1962, pp.1-6.

Abstract: The construction and performance of the exchange were described in detail. Discussed were: the general circuitry, call number systems, party-line and coin-operated receivers, electrical data, traffic accounting, remote control, and the block diagram of the installation. The marker reliably and rapidly directs register switching, line selection, outgoing calls, and incoming calls - in an order of preset priorities. Maximum capacity of the exchange is 160 lines, each of which is capable of being connected to the trunk circuit, connecting circuit, and all the registers. No references.

1/1

HUNGARY

SCHAVEL, Ferenc, and PENTZ, Miklos, of the Department for Production Planning at the Beloiannisz Communication Works (Beloiannisz Hiradastechnikai Gyar Gyartastervezesi Osztaly) in Budapest.

"Manufacture of Components by the Cold-Flow Method"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 1, 1962, pp. 7-16.

Abstract: The designing of the cold-flow tool was illustrated by means of a practical example. Published formulae for calculating the energy requirements were described. The most suitable metals for cold-flow forming are copper, gold, silver, platinum, and aluminum. They require suitable heat-treatment prior to forming. Selection of suitable lubricant is essential. The advantages of the cold-flow forming method and design criteria were revieved. No references.

CERE, Laszlo, of the Department for Transfer Technology Development est the Beloiannisz Communications Works (Beloiannisz Hirafastechnikai Gyar Atviteltechnikai Fejlesztesi Osztaly) in Bucapest.

"Nonlinear Characteristics"

Budapest, BKF Muszaki Kozlemenyek, Vol 8, No 1, 1960, pp. 17-28.

Abstract: The first part of this paper deals with the customary method of describing nonlinear characteristics, vis., the function series method. Chebitchev's method (decomposition into polynoms) was then discussed in more detail, with special reference to bivalent, loop-type characteristics. Finally, the methods for calculating the characteristics of quasi-linear circuits and the methods for linearizing nonlinear characteristics were reviewed. No references.

1/1

HUNGARY

Mrs. LEHCCZKI, Andras, of the Financial Department at the Beloismuisz Communications Works (Beloismuisz Hiradestechnik i Gyar Penzugyi Osztaly) in Budapest.

"Voucher Discipline"

Budapest, BEO Muszaki Kozlemenyek, Vol 8, No 1, 1962, pp. 29-33.

Abstract: Production vouchers, documenting all operations that involve changes in the resources, stocks, and facilities of the production plants, must be prepared as promptly after the operation was completed as practicable and must be forwarded without delay to the appropriate administrative department. Failure to follow this discipling causes serious disruptions and erroneous administration. Violations most frequently observed were described and ways suggested to prevent these. Some examples were described to illustrate potential consequences of faulty or delayed voucher preparation. No references.

 $1/\lambda$

JJTASI, Istvan, and SAFAH, Zoltan, of the Department for Transfer Technology Development at the Beloiannisz Communications Works (Beloiannisz Hiradastechnikai Gyar Atviteltechnikai Fejlesztesi Osztaly) in Budapest.

"Application of Transistors in Transfer Technology" (Part 2)

Budapest, BHG Muszaki Kozlomenyek, Vol 8, No 1, 1962, pp. 34-40.

Abstract: The following subjects were reviewed in some detail: effects of temperature on transistor performance, methods for the calculation of of permissible operating temperature, and interpretation of transistor characteristics given in manufacturers' catalogs. Examples were given for the various calculating methods involved. Three references to German publications.

1/1

HUNGARY

JOBBAGY, Aladar, of the Climate Laboratory at the Reloiannisz Comminications Works (Beloiannisz Hiradastechnikai Gyar Klimalaboratorium) in Budapest.

"Evaluation of Resistance to Tropical Climate by Outdoor Exposure Tests"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 1, 1962, pp. 41-46.

Abstract: The deleterious effects of tropical climate are attributable to temperature, actinic radiation, ambient relative air humidity, biological influences; and under special circumstances, salt content in the air in areas adjacent to the sea-shore, and corrosive gas and soot content of the atmosphere in industrial locations. Outdoor exposure stations in Southern China (Canton and Ylin), operated by the Subtropical Research Institute / original-language version not given 7 in Canton, China, were described. Additional stations are located in the Lejesou peninsula (near Hauven) and in the Northern Section of the Hainan Island (near Vanlin). All these stations are suitable for the evaluation of components in communications systems. No references.

3

HORVATH, Kalman, of the Metallographical Laboratory at the MEOB / expanded version not given / (MEOB Metallografiai Laboratorium) / location not given / .

"Determination of the Layer Thickness of Galvanic Costings"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 1, 1962, pp. 47-54.

Abstract: The following methods were reviewed: the microscopical method, determination by means of electrical measurements, determination by chemical methods, determination by the drop or fluid stream method (German Standard DIN50-951), the method employing radioactive isotopes. Techniques for the preparation of cross-sectional specimens were discussed. The accuracies of the various methods were compared and it was concluded that the results obtained by means of the Ultra-Optimeter are the most accurate (± 0.04 microns at a coating thickness above 5 microns). Five references, including 1 Hungarian and 4 German.

1./1

EUNGARY

LUGOSI, Vilmos / affiliation not given /.

"A Device for the Determination of the Service Life of Electrolytic Condensers"

Fudapest, BHG Muszaki Kozlemenyek, Vol 8, No 1, 1962, pp. 55-60.

Abstract: The device, described in detail, consists of a line adapter, switching circuit, rectifying unit, regulator, stabilizer, and measuring system. Detailed schematic diagrams are shown. There are five adjustable ranges (0-100, 100-200, 200-300, 300-400, and 400-500 volts) and five fixed ranges (85, 150, 250, 350, and 450 volts). Maximum loading capacity is 100 milliamperes for adjustable operation and 40 milliamperes for fixed operation. Required line current is 200 volts, 50 cycles per second. Operating instructions are given and the accuracy of the instrument at various operating modes is indicated. No references.

LACZKO, Karoly, of the Works Engineering Section at the F GYES [expanded version not given] (F GYES Uzemmernokseg) [location not given].

"What We Often Forget"

Budapest, BRG Muszaki Kozlemenyek, Vol 8, No 2, 1962, pp. 1-12.

Abstract: This article reviews the most common faults committed during the design and manufacture of articles made on revolver-type and automatic lathes. It also gives constructive suggestions to avoid these faults. The following points were covered: selection of material, gears and threads, and piping. Emphasis was laid on improving production rate and decreasing the amount of waste produced. No references.

1/1

HUNGARY

TOTH, Andras, and VASS, Bela, of the Department for Telephone Technology Development at the Beloiannisz Communications Works

[Beloiannisz Hiradastechnikai Gyar Telefontechnikai Fejlesztesi
Osztaly [in Budapest.

"The Electronically Controlled CA 20 Crossbar Sub-Exchange"

Budapest, BHG Muszeki Kozlemenyek, Vol 8, No 2, 1962, pp. 13-17.

Abstract: The Sub-Exchange is based on a DC 470-type crossbar switching unit and is horizontally multiplying in three sections. The block diagram of the unit is explained and the various operating modes described. Circuits are provided for calls between substations, between a substation and an outside line (outgoing call), between a substation and an outside line (incoming call), and an operator circuit. The following messages can be handled simultaneously: five local calls + one incoming call; three outgoing calls + two local calls; or three incoming calls + 1 operator call + 1 local call. No references.

HERVANEK, Ferenc, and TAKACS, Lajos, of the Main Technological Department at the Beloiannisz Communications Works / Beloiannisz Hiradastechnikai Gyar Technologiai Foosztalya / in Budapest.

"Modern Methods for the Manufacture of Signal Receptor Springs"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 2, 1962, pp. 18-32.

Abstract: The manufacturing methods presently employed in Hungary, in the USSR, in Switzerland, and in the German Democratic Republic were reviewed. A detailed description is given of the tools designed for manufacturing the springs by a composite method taking into consideration all foreign developments. Six engineering drawings were shown for these tools. The ideas incorporated from the East German method proved to be the most beneficial in rendering the new tools productive and dependable. No references.

1/1

HUNGARY

SZONYI, Jozsef, of the Planning Department at the A GYES _expanded version not given _ / (A GYES Tervezes) _ location not given _ / .

"Tests for Ferrite Cores"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 2, 1962, pp. 33-41.

Abstract: The test methods promulgated in KCMSz (Koho- es Gepipari Miniszteriumi Szabvany; Standard issued by the Ministry of Metallurgical and Machine Industries) No. 629442 and 629443 standards for ring-shaped ferrite samples were modified to enable the evaluation of other shapes. The theory upon which the modified methods were based, the equipment used, and the testing techniques involved were described in detail. The tests were so designed that the results could be compared with those obtained on corresponding ring-shaped test specimens. One reference to a Hungarian publication.

SOMFAI, Ferenc, of the Climate Laboratory at the Beloiannisz Communications Works (Beloiannisz Kiradastechnikai Gyar Klimalaboratorium) in Budapest.

"Evaluation of Resistance to Outdoor Climete by Exposure Tests in a Natural Tropical Site" (Part 2).

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 2, 1962, pp. 42-50.

Abstract: Exposure sites in China are used to evaluate the resistance to tropical climate of insulating materials, cordage, rubber articles, impregnating materials, heat-hardening resins, polyvinyl chloride articles, paint systems, metal surfaces, coatings for metals, and cables. The operations involved are explained on the example of the evaluation of various types of metal coating (galvanized surfaces and plated surfaces). Finished components such as condensers, relays, coils, microphones, electronic tubes, switches, hardware, and lamps are also evaluated at these sites. The operations involved were illustrated with the example of stiroflex condenser tests. No references.

HUNGARY

VAMOS, Lajos, Ph. D., of the Financial Department at the Beloiannisz Communications Works (Beloiannisz Hiradastechnikai Gyar Penzugyi Osztaly) in Budapest.

"Undesirable Effects of Raw Material and Finished Product Accumulation"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 2, 1962, pp. 51-54.

Abstract: The Hungarian economy is adversely affected by an undue accumulation of raw materials and finished products in the manufacturing establishments. For one thing, foreign exchange may be tied up by having excessive quantities of imported raw materials in stock. Excessive quantities of finished products tie up scarce storage area and cause losses in interest. Proper planning and production control is well-nigh impossible with excessive stocks. To avoid these and other undesirable consequences, the accumulation of raw materials and finished products must be avoided. Penalties in the statutes for plants that fail to observe the applicable regulations were described. There are also incentives provided for plants that are especially meticulous 1/1 in this respect. No references.

SZILAGYI, Sandor, of the Product Planning Department at the T GYES / expanded version not given / (T GYES Gyartmanyterveses) / location not given /.

"The STB2-25 Automatic Central Exchange"

Budapest, BHG Miszaki Kozlemenyek, Vol 8, No 2, 1962, pp. 55-63.

Abstract: This article describes the modifications in the STB-25 exchange that were recently implemented. The modified version, designated STB2-25, has an increased capacity, provides for priority calls, enables a greater percentage of outside calls to be handled, has a simplified automatic transfer system, permits the holding of calls, and provides for 'broker's call-back'. The ringing circuit is now supplied with transistorized oscillators. The new exchange has provisions for future expansion. Details of the various modifications are shown. No references.

1/1

HUNGARY

NACY, Bels, [affiliation not given 7.

"Voice and Ringing Circuits in Telephone Exchanges"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 2, 1962, pp. 64-66.

Abstract: A cheap voice and ringing circuit was described for low-capacity telephone exchanges. Schematic diagrams and operating parameters were given for both the ringing oscillator and for a 40-cycle oscillator employed in the voice circuit. The modes for indicating a call and for indicating the 'busy' signal were described. The circuits were provided with multivibrators that operated satisfactorily even if the voltage varied from 22-32. No references.

SCHMIDT, Janos, of the Climate Laboratory at the Beloiannisz Communications Works (Beloiannisz Hiradastechnikai Gyar Klimalaboratorium) in Budapest.

"Experiences in the Field of Climate-Resistance Evaluation Gathered in the German Democratic Republic"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 3, 1962, pp. 1-5.

Abstract: The author participated in a tour (during the summer of 1901) in the establishment at Berlin-Adlershof where research on climate resistance and on test procedures to evaluate the effects of outdoor exposure on various materials is conducted. A review was made of the following activities in the German Democratic Republic: coordination of climate-resistance research, certifying products as to their resistance to the climate at which they will be used, and development of methods to evaluate various materials and products as to their climate-resistance. No references.

1/1

HUNGARY

Mrs. SIMON, Zoltan, of the Department of Transfer Technology Development at the Beloiannisz Communications Works (Beloiannisz Hiradastechnikai Gyar Atviteltechnikai Fejlesztesi Osztaly) in Budapest.

"Compander Circuits"

Budapest, BRG Muszaki Kozlemenyek, Vol 8, No 3, 1962, pp. 6-12.

Abstract: Companders are employed in communications equipment to increase the signal-to-noise ratio. They consist of a compressor at the sending side and of an expander at the receiving side. Both components were described mathematically. Design criteria were explained on the basis of an example. The effects of signal transference, the effects of noise suppression, and possible sources of distortion were discussed. The only significant disadvantage of companders is that they decrease the stability of the circuit of which they form a part. No references.

RADAI, Sandor, of the Department for Production Development at the Beloiannisz Communications Works (Beloiannisz Hiradastechnikai Gyar Gyartasfejlesztesi Osztaly) in Budapest.

"Polypropylene"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 3, 1962, pp. 13-16.

Abstract: The properties, fabrication, and applications of isotactic polypropylene were reviewed in general on the basis of information obtained from published literature, from the Montecatini Company's product information pamphlets, and from lectures delivered by manufacturers' representatives during their tours in Budapest. There is no significant amount of information available from Hungarian sources. The material has potential applications in the field of communications equipment. No references.

1/1

HUNGARY

TOTH, Andras, and VASS, Bela, of the Department for Telephone Technology Development at the Beloiannisz Communications Works (Beloiannisz Hiradastechnikai Gyar Telefontechnikai Fejlesztesi Osztaly) in Budapest.

"The Electronically Controlled CA 20 Crossbar Sub-Exchange" (Part 2).

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 3, 1962, pp. 17-25.

Abstract: Block diagrams are shown and detailed description is given for the following parts of the sub-exchange: identifier, guidance and storage circuit, line selector, circuits associated with the signal-ling branches, power supply, and ringing, voice, and interrupting circuits. The various operating modes were discussed. No references.

NIKCLETTI, Antal, of the Physical Laboratory at the MEOB / expanded version not given /(MEOB Fizikai Labor) / location not given /.

"Applications of Spectrum Analysis in Our Plant"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 3, 1962, pp. 26-33.

Abstract: A brief description was given of the techniques involved in the analysis of metals by spectroanalytical methods. These methods proved impractical for the determination of precious metals and some nonferrous metals owing to the fact that their lines suitable for evaluation are in the ultraviolet region. Plans were described for extending the available apparatus for use in the ultraviolet wavelength region. One reference to a Hungarian publication.

1/1

HUNGARY

CEBE, Laszlo, of the Department for Transfer Technology Development at the Beloiannisz Communications Works (Beloiannisz Eiradastechnikai Gyar Atviteltechnikai Fejlesztesi Osztaly) in Budapest.

"Nonlinear Characteristics" (Part 2).

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 3, 1962, pp. 34-48.

Abstract: Bivalent characteristics were discussed in detail on the basis of examples. The decomposition into polynoms of such characteristics was explained and practical examples were discussed for illustrating the calculations involved in the designing of quasi-linear circuits. Calculations for regenerative amplifiers were shown on the basis of the so-called linearization of nonlinear characteristics. Four references, including 1 Hungarian and 3 German.

IMELY, Karoly, of the Department for Tool Design at the Beloiannisz Communications Works (Beloiannisz Hiradastechnikai Gyar Szerszamszerkesztesi Osztaly) in Budapest.

"Tolerances for Block Tools"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 3, 1962, pp. 49-56.

Abstract: Standards for tolerances were developed for block tools used in cutting and shaving operations. Criteria used in the development of the standards were described. Examples were shown for the designing of tools complying with the stipulations of the applicable standard. No references.

1/1

HUNGARY

SARMANY, Peter, /affiliation not given].

"An Apparatus for Measuring the Operating Time of Signal Receivers / in Communications Equipment /.

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 3, 1962, pp. 57-59.

Abstract: The apparatus, described by means of schematic diagram and circuit details, is suitable for checking out time-regulated signal receivers used in rural telephone exchanges. By using suitable adapters, the device is also suitable for series testing. It has an accuracy of \pm 10% in the 3-10 milliampere range and an accuracy of \pm 5% in the 10-300 milliampere range. No references.

BELANYI, Jozsef, of the F GYES _ expanded version and location not given 7.

"Analytical Study of the Production Process"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 4, 1962, pp. 1-14.

Abstract: The production flow was schematically characterized, equations were developed for the individual factors affecting total production and for the characterization of total production, and numerical examples were presented in detail for actual case histories. In contemporary plants it is essential to study the individual production stages as a function of time, taking into account the time elapsed between receipt of the order and releasing the finished product for shipping. If an increased production rate is desired, the acceleration process should begin at the first production stage and all successive stages should be preferably accelerated at the same rate rather than accelerating one particular phase. No references.

HUNGARY

BLUM, Endre, of the Department for Telephone Technology Development at the Beloiannisz Communications Works (Beloiannisz Hiradastechnikai Gyar Telefontechnikai Fejlesztesi Osztaly) in Budapest.

"Transistorized Apparatus for Automatic Placing of Calls"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 4, 1962, pp. 15-22.

Abstract: A device was developed for the placing of calls sequentially and automatically for all lines connected to an exchange to establish whether all connections are in satisfactory operating condition. It can be adjusted to terminate the call when the signal of ringing was perceived or at any preset interval thereafter. The apparatus is used to check exchanges prior to delivery but is also suitable for checking exchanges on location. The various circuits of the apparatus were described in considerable detail. No references.

RUNGARY

LACIKO, Endre, of the Department for Production Development at the Beloiannist Communications Works (Beloiannist Hiradestechnikai Gyar Gyartasfejlesztesi Osztaly) in Budapest.

"Hesults of the 1961 Mechanization Plan and Experiences Gained During the Implementation of the Results"

Badapest, BHG Muszaki Kozlemenyek, Vol 8, No 4, 1962, pp. 23-28.

Abstract: A brief review was given of the steps taken during 1961 at the Beloismnisz Communications Works (Beloismnisz Hiradustechnikai Gyar) in Eudapest to mechanize various manufacturing processes. The two most significant achievements were in the field of transfer equipment. No references.

1/1

HUNGARY

VERDOCZI, Laszle, of the MEOB \int expanded version and location not given \int .

"Coercive Force of Automatic Switch Magnets"

Budapest, BEG Muszaki Kozlemenyek, Vol 8, No 4, 1962, pp. 29-42.

Abstract: The factors affecting coercive force and the methods used for determining the magnitude of the coercive force were reviewed. These were conducted with Hungarian-made Fermex materials and the following process resulted in products of optimum performance: The carefully degreesed articles were embedded in chips of low-carbon steel, placed into a crucible, heated under exclusion of air to 820-870 degrees Centigrade for two hours, then cooled at a rate of 100 degrees Centigrade per hour to 300 degrees, and then cooled to room temperature without control. We references.

ERDODI, Laszlo, and MAURER, Jozsef, of the Design Department at the TMK / expanded version not given / (TMK Szerkesztes) / location not given /.

"HS2-Type Machines for Applying Insulation to Cables"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 4, 1962, pp. 43-49.

Abstract: The HSz-1 machine, which produces the Etiltex cable (tin-coated copper cable insulated with textile-reinforced polyethylene), and the HSz-2 machine, which is an improved version of the former, were described in detail. In both machines the cable is covered first with a braid and is then drawn through a container in which the insulator is kept under pressure and at elevated temperature. The HSz-1 has been in continuous operation since 1961; the HSz-2 will be placed into regular operation in the near future. No references.

1/1

HUNGARY

FONGO, Dezso, of the Department for Transfer Technological Products Development at the Beloiannisz Communication Works (Beloiannisz Hiradastechnikai Gyar Atviteltechnikai Gyartmanyfejlesztesi Osztaly) in Budapest.

"Dimensioning of Four-Pole Compensators"

Budapest, BHC Muszaki Kozlemenyek, Vol 8, No 4, 1962, pp. 50-64.

Abstract: The various calculations involved in designing and dimensioning four-pole compensators such as used in multi-channel transfer equipment were reviewed and illustrated by practical examples. No references.

1/1.

BURLARY

MOLMAR, Pal, of the Department for Telephone Technology Development at the Beloiannisz Communications Works (Beloiannisz Hiradastechnikai Gyar Telefontechnikai Fejlesztesi Osztaly) in Budapest.

"Structure of the Switching Field in Multiple-Guidance Crossbar Exchanges"

Fudapest, BBG Muszaki Kozlemenyek, Vol 8, No 5, 1962, pp. 1-8.

Abstract: Multiple guidance was defined as the operation whereby a free path between two subscribers is selected by scanning possible raths both within and among several crossbar exchanges. Various principles for achieving multiple guidance were reviewed and their respective operating modes explained. The internal information content of the conventional type switching field was illustrated. Simulation of the switching field was discussed. No references.

1/1

HUNGARY

HARTOS, Geza, of the Main Department at the MEO / expanded version not given / (MEO Foosztaly) / location not given /.

"Reliability of Transfer Technological Equipment"

Budapest, BEO Muszaki Kozlemenyek, Vol 8, No 5, 1962, pp. 9-12.

Abstract: A 12-channel unit contains 15-20 thousand components and each is subject potentially to breakdown owing to defective contact, short circuit, improper soldering, and component deficieny. Thus, reliability is an essential requirement and all equipment should be thoroughly tested before releasing it for shipment. The methods employed in testing the BK-24 and the BO-12 transfer apparatus were described. Typical results obtained were analyzed. No references.

1./1

BENCSIK, Gyorgy, of the Plant Engineering Office at the F GYES /expanded version not given /(F GYES Uzemmernokseg) / location not given /.

"What we Often Forget"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 5, 1962, pp. 13-24.

Abstract: This article reviews the most common faults committed during the design and manufacture of cold-formed parts produced without turning. Covered were: selection of material, punching, die-cutting, sinking, bending, and shaping. In addition to evaluating the potential errors in each individual manufacturing step, the proper sequence of the individual steps and the overall design concept should also be critically evaluated before finalizing the entire process. No references.

1/1

HUNGARY

KESSELYAK, Peter, of the Climate Laboratory at the Beloiannisz Communication Works (Beloiannisz Hiradastechnikai Gyar Klimalaboratorium) in Budapest.

"Evaluation of the Climate Resistance of Germanium Diodes and Transistors"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 5, 1962, pp. 25-31.

Abstract: There are no accepted standards for the required resistance to climate for germanium transistors and diodes. Results obtained in the course of outdoor exposure tests were given in tables and the findings were discussed in detail. For diodes, the changes in voltage drop in the 'go' direction at naminal current strength and the changes in voltage in the ho-go' direction at closing current were measured both prior to and following the outdoor exposure. For transistors, the collector-base and the collector-emitter return current and the low-frequency 'n' parameter in grounded emitter state were determined as a measure of climate-resistance. No references.

KARDOS, Jozsef, and SZILAGYI, Sandor, of the T-GYES [expanded version and location not given].

"An Automatic Telephone Network for Plants"

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 5, 1962, pp. 32-43.

Abstract: The following systems were described in some detail: the TD-PBX postal-type exchange, the MAV / Magyar Allamvasutak; Hungarian National Railways /-type TD-PBX exchange, and the MAV network. The MAV network enables communication between the six regional directorates and between the regional directorate and the associated sub-directorates. The former is accomplished by using the TD-PBX exchange; the latter, by using the STB2-55 or the 7055 exchange. No references.

1/1

HUNGARY

ZAKARIAS, Gabor, of the Department for Transfer Technology Development at the Beloiannisz Communications Works (Beloiannisz Hiradastechnikai Gyar Atviteltechnikai Fejlesztesi Osztaly) in Budapest.

"Designing Printed Circuits"

Budapest, BRG Muszaki Kozlemenyek, Vol 8, No 5, 1962, pp. 44-54.

Abstract: This article is a review of the operations involved in the planning, designing, manufacturing, and installation of printed circuits with special emphasis to the requirements of the communications equipment manufacturing industry. Design criteria and practical aspects of layout were discussed. Preparation of initial, intermediate, and final layout and engineering diagrams was illustrated. No references.

LAKOS, Lajos, of the Department for Production Development at the Beléiannisz Communications Works (Beloiannisz Firadastechnikai Gyar Gyartastervezesi Osztaly) in Budapest.

"/A Report on the / Study Tour in France."

Budapest, BHG Muszaki Kozlemenyek, Vol 8, No 5, 1962, pp. 55-60.

Abstract: The author visited various communications equipment factories and laboratories during his visit to France which took place from 9 to 23 Oct 1961. The highlights of the tour were described. No references.

BALASSA, Imre, faffiliation not given J.

"Some Questions of Organizing Design Work in Precision Mechanics"

Budapest, Finommechanika, Vol 1, No 12, Dec 1962, pp. 353-355.

Abstract: Author's English summary, modified Obsolescence of products and the high degree of specialization required are the principal problems of design work to-day. Methods for solving these problems are presented. The need for technical information services in the preparation of modern designs is stressed. Suggestions are presented on drawings for small runs and individual items, organization, and working techniques. The need for including the technologists and the engineers into the planning activity, the coordination of the work of all participants, and examples dealing with the drawing room and an electrical laboratory were discussed. No references.

1/1

HUNGARY

RUZICSKA, Gyorgy, mechanical engineer, of the Hungarian Optical Works (Magyar Optikai Muvek) in Budapest.

"Alignment of Optical Components. Part I"

Budapest, Finommechanika, Vol 1, No 12, Dec 1962, pp. 356-363.

Abstract: Author's English summary, modified 7 The methods, problems, and development of optical component aligning are reviewed. To achieve alignment, there are two methods, viz., (1) adjusting the lens center by means of the image produced by the lens or by the transmitted light (optical method) and (2) adjusting the center by means of zones of identical thickness, arranged concentrically around the optical axis (mechanical method). A survey was presented on the various techniques employed in component alignment by the industry. No references.

ALMASSY, Gyorgy, Ph. D., [affiliation not given].

"Design of Electronic Apparatus in Respect to Heat _Expansion_7.Part 4" Budapest, Finommechanika, Vol 1, No 12, Dec 1962, pp. 364-369.

Abstract: Author's English summary, modified The principles of heat convection are discussed with special emphasis on their effect upon electronic apparatus. Practical methods of calculation are presented. An example of calculation is given for the cooling of semiconductors and of instrument housings. Twenty-seven references, including 3 Hungarian, 6 German, 1 Russian, and 17 Western.

1/1

HUNGARY

FAZAKAS, Balazs, Ph. D., Candidate of Technical Sciences, _affiliation not given__7.

"The General Geometry of Cutting with Regard to Kinematic Conditions"

Budapest, Finommechanika, Vol 1, No 12, Dec 1962, pp. 370-380.

Abstract: Author's English summary, modified 7 Only the cutting angles characterizing tool production are given for cutting tools and for cutting operations. These angles do not characterize unambiguously the cutting tool or the cutting process since tool displacement during cutting is disregarded. Thus, there is a need for a new system for characterization, a system which is independent of relative tool displacement and which characterizes the process rather than the tool. Such a system defines the 'active angle'; suggestions for implementing such a method of characterization are presented. The method is suitable for tools with two or more edges also. Six references, including 2 Hungarian, 3 German, and 1 Russian.

VAJDA, Zoltan, faffiliation not given J.

"Conference for Signal Recording by Movable Magnets"

Budapest, Finommechanika, Vol 1, No 12, Dec 1962, pp. 361-362.

Abstract: The Conference, held from 15 to 18 Oct 1962 / location not given /, was organized by the Society for Optics, Acoustics, and Cinematography (Optikai, Akusztikai, es Filmtechnikai Egyesulet). Two hundred and twenty delegates attended, including 64 from abroad representing 8 Western and six Soviet-block countries. Fourty-one lectures were presented (27 by delegates from Soviet-block countries). An exhibit of Hungarian electrical appliances was presented simultaneously.

BAJZA (Mrs. LICHTENBERGER), Edit, Ph. D., of the Research Institute for Metals (Femipari Kutato Intezet) / location not given /.

"Electrolytic Polishing of Metals"

Budapest, Finommechanika, Vol 2, No 1, Jan 1963, pp. 1-7.

Abstract: / Author's English summary, modified / The applications of electrolytic metal polishing were reviewed. The process can be used not only for the production of plane, polished surfaces but also for deburring. The techniques for electrolytically polishing aluminum, steel, and copper were described in detail. This field is rapidly developing and has a wide field of potential applications in many industries. Fourteen references, including 1 Hungarian, 3 Russian, 1 German, and 9 Western.

1/1

HUNGARY

WALTER, Istvan, of the Hungarian Optical Works (Magyar Optikai Muvek) in Budapest.

"Precision-Machining in the Optical Industry" (Part I).

Budapest, Fincamechanika, Vol 2, No 1, Jan 1963, pp. 8-11.

Abstract: Author's English summary The precision-machining methods of the optical industry were discussed. Some foreign techniques were complemented by data gained by experiences in Hungary. The theory and techniques of grinding and polishing were discussed. Surface roughness and surface regularity were defined. To be continued. No references.

FERENCZY, Jeno, [Affiliation not given].

"Development of Chipless Cold Working in the Precision Machining of Metals"

Budapest, Finommechanika, Vol 2, No 1, Jan 1963, pp. 12-15.

Abstract: / Author's English summary, modified / Two new methods of cold metal working were described. One, the theory of which is not yet fully developed although encouraging experimental results have been reported, is the high-speed forming. The other encompasses several non-orthodox procedures, described in detail, which render series production more economical. These new procedures open a new pathway in the precision metalworking technology. No references.

1/1

HUNGARY

SZIRMAI, Otto, of the Institute for Machine Tool Development (Szerszemgepfejleszto Intezet)/location not given 7.

"Precision Machining with Abrasive Stones"

Budapest, Finommechanika, Vol. 2, No 1, Jan 1963, pp. 16-22.

Abstract: Author's English summary, modified In determining the optimum parameters for honing and superfinishing, foresight and experience is required because the omission of a single factor can appreciably decrease the output. According to experiences gained in Hungary, factors affecting productivity are frequently neglected. This gives rise to the opinion that the productivity values published in the literature and pamphlets cannot even be approached in practice. The tasks facing the Hungarian machine-building industry make it necessary for factories to become acquainted with the techniques of precision machining with the aid of abrasive stones. They should also become familiar with the results of current research and translate the findings into practice. These data were briefly summarized. Eight references, including 1/1 2 Hungarian, 1 Russian, and 5 German.

ROWAI, Tibor, Mechanical Engineer, of the Central Technological Group for Communications Technology (Hiradastechnikai Kozponti Technologus Cscport)/location not given/.

"Problems of Fine-Mechanical Nature in the Manufacture of Piezoelectric Quartz Crystals"

Budapest, Finommechanika, Vol 2, No 1, Jan 1963, pp. 23-26.

Abstract: The following subjects were discussed in detail: physical properties of quartz crystals, technological problems in the manufacture of quartz plates, cutting and slicing of quartz crystals, and coarse and fine grinding of quartz plates. Stressed were the factors that facilitate mass-production. Eight references, including 1 Hungarian, 1 Russian, 1 German, and 5 Western.

1/1

HUNGARY

DENES, Miklos, and DESY, Miklos, of the Institute for Machine Tool Development (Szerszemgepfejleszto Intezet)/location not given 7.

"Fine Turning and Fine Boring with the Hungarian-Made Type-FA Tool Tips"

Budapest, Finommechanika, Vol 2, No 1, Jan 1963, pp. 27-30.

Abstract: The tool tips of Type-FA were developed and are produced by the Kobanya Iron and Steel Foundry (Kobanyai Vas- es Acelontode). They consist of 30% titanium carbide, 66% tungsten carbide, and 4% cobalt. Fine-turning and fine-boring experiments were reported in detail. Also described were methods for fitting the tips and for restoring the dull edges. Five references, including 4 Hungarian and 1 German.

STRIKER, Gyorgy, Ph. D., [Affiliation not given].

"At the treshold of the Second Decade"

Budapest, Meres es Automatika, Vol 11, No 1, 1963, p. 1.

Abstract: The journal Meres es Automatika begins the second decade of its existence with the current issue. This article reflects on the first decade and attempts to look forward to improvements in the journal during its forthcoming second decade. No references.

1/1

HUNGARY

CSAKI, Frigyes, Ph. D., of the Chair for Automation at the Technical University (Muszaki Egyetem Automatizalasi Tanszek) [location not given].

"The Root-Locus Method"

Budapest, Meres es Automatika, Vol 11, No 1, 1963, pp. 2-8.

Abstract: The basic equations employed in the root-locus method were described and practical examples were shown for the calculation of the root-locus curve. Applications of the method to regulating systems were illustrated. The root-locus method was compared with other methods as to its usefulness in designing control circuits. Four references, including 1 German and 3 Western.

SCHACHTER, S., VALENT, R., and COSTAK, N. [Affiliation not given].

"Introduction of the Principles of Automation in the Rumanian People's Republic"

Budapest, Meres es Automatika, Vol 11, No 1, 1963, pp. 9-16.

Abstract: This article is a Hungarian translation of a paper originally published in Automatics si Electronics 1961, No 1, pp. 3-13.

1/1

HUNGARY

KEMENY, Tamas, Mechanical and Electrical Engineer, of the Central Research Laboratory for Measurement Technology (Merestechnikai Kozponti Kutato Laboratorium)/location not given/.

"Problems Pertaining to the Accuracy of Measuring Equipment Based on Strain-Gage Force and Pressure Cells"

Budapest, Meres es Automatika, Vol 11, No 1, 1963, pp. 17-22 and 24.

Abstract: Author's English summary, modified A large percentage of errors is introduced when the mechanical quantities are transduced into electrical values. A short review is given of the accuracy of some typical measuring systems and methods for calculating precisely the maximum and probable accuracies of measuring cells were described. Hungarian-made high-stability strain gages were described. One of these, made of bakelite, has a 40 micron thickness; it has a resistance of 110 Ohms, gage resistance with specimen exceeds 500 megohms. Resulting load cells show a creep of 0.022% in the value of readings per 48 hours. No references.

NEMMES, Laszlo, of the Instrumentation Service at the Hungarian Academy of Sciences (Magyar Tudomanyos Akademia Muszerugyi Szolgalata)/location not given/.

"Application of Interference Phenomena in Infrared Spectroscopy"

Fudapest, Meres es Automatika, Vol 11, No 1, 1963, pp. 23-24.

Abstract: Author's English summary The general laws of light-interference in thin films were discussed. Infrared techniques for measuring thickness were then described and other applications of the interference principle were briefly mentioned. Finally, there was discussion on interference fringes arising from reflection and some problems of interference filters. Two references to Western publications.

1/1

EUN JARY

IUKACS, Gyula, of the United Incandescent Lamp Works (Egyesult Izzo) in Budapest.

"Notes on the New Statutes Regulating Weights and Measures"

Eudapest, Meres es Automatika, Vol 11, No 1, 1963, pp. 25-26.

Abstract: The Hungarian statutes, promulgated in 1960 were reviewed. They stipulate the decimal fractions and multipliers the use of which is permitted; this a feature not encountered in any other statute dealing with the same subject. For temperature measurements the degree C and degree K designation has been stipulated. The right angle of 90 degrees is now subdivided into hundredths but there is no official terminology for other fractions. Fourteen references, including 5 Hungarian, 4 German, 2 Russian, and 3 Western.

1./1

VASY, Geza, mechanical engineer [affiliation not given].

"Novelty, Currency, and Economical Factors"

Budapest, Meres es Automatika, Vol 11, No 1, 1963, pp. 27-28.

Abstract: The author criticizes certain statements contained in the article by THOMPSON, J., of the British Scientific Instrument Research Association, published in Meres es Automatika, Vol 10, No 6, 1962, p. 172. Following Vasy's comments, there is a note by the Editor, offering further comments. Four references, including 2 Hungarian and 2 Western.

1/1

HUNGARY

CSORDAS, Zoltan, of the Research Institute for the Heavy Chemical Industry (Nehezvegyipari Kutato Intezet) [location not given]

"Properties and Dimensioning of Loose Membranes" (Part 1)

Budapest, Meres es Automatika, Vol 11, No 1, 1963, pp. 29-31.

Abstract: Calculations pertaining to the characterization of the effective surface and for the determination of the effective surface in the null-position are discussed. Tables are presented for certain functional values used in these calculations. Three references, including 1 French and 2 Russian.

- IRD -

1/1

2542

CSO: 2000-N